

**a) Recipienti patrati TC/P**

Tipul	Tipul capacului	Largimea(mm)	Inaltimea(mm)	Adancimea(mm)	Volumul
IBC-TC/4 ONU	CPF-150	740	1325	740	370
IBC-A/6 ONU	CPF-150	985	880	1195	600
IBC-A/10 ONU	CPF-150	985	1360	1195	1000

**b) Recipienti patrati TC/NPS**

Tipul	Tipul capacului	Largimea(mm)	Inaltimea(mm)	Adancimea(mm)	Volumul
IBC-A/6 Super	CPM-300	975	855	1185	600
IBC-A/6	CPM-300	975	855	1185	600
IBC-AF/6	CPF-150	975	855	1185	600
IBC-A/8	CPM-300	975	1160	1185	800
IBC-A/8 BP	CPM-300	975	1160	1185	800
IBC-A/10 Super	CPM-300	975	1320	1185	1040
IBC-A/10 CMS	CPM-300	975	1320	1185	1040
IBC-A/10	CPM-300	975	1320	1185	1040
IBC-AF/10	CPF-150	975	1320	1185	1040
IBC-A/10 BP	CPM-300	975	1320	1185	1040

**c) Recipienti patrati TB/P**

Tipul	Tipul capacului	Largimea(mm)	Inaltimea(mm)	Adancimea(mm)	Volumul
IBC-E/10	CPF-410	1120	1340	1120	1045
IBC-E/10 BP	CPF-410	1120	1340	1120	1045
IBC-E/10 Super	CPF-410	1120	1340	1120	1045
IBC-E/10 AP	CPF-410	1120	1340	1120	1045
IBC-E/13 BP	CPF-410	1120	1545	1120	1240
IBC-E/13 Super	CPF-410	1120	1545	1120	1240
IBC-E/13 AP	CPF-410	1120	1545	1120	1240
IBC-E/13 TS	CPF-410	1120	1545	1120	1240
IBC-E/13	CPF-410	1120	1545	1120	1240

**d) Recipienti patrati PTA**

Tipul	Tipul capacului	Largimea(mm)	Inaltimea(mm)	Adancimea(mm)	Volumul
IBC-TP/6	CPM-300	800	1495	1215	640

Tipul	Tipul capacului	Largimea(mm)	Inaltimea(mm)	Adancimea(mm)	Volumul
IBC-TP/10	CPF-410	1210	1775	1010	980
IBC-TP/10 /2	2 x DN	1210	1775	1010	980

**e) Recipienti rotunzi TCC/P**

Tipul	Tipul capacului	Largimea(mm)	Inaltimea(mm)	Adancimea(mm)	Volumul
IBC-TN/10	CPF-410	1120	1640	1120	1080
IBC-TN/10 AP	CPF-410	1120	1640	1120	1080
IBC-TN/10 Super	CPF-410	1120	1640	1120	1080
IBC-TN/13 Super	CPF-410	1120	1960	1120	1380
IBC-TN/13	CPF-410	1120	1960	1120	1380
IBC-TN/13 AP	CPF-410	1120	1960	1120	1380
IBC-TN/18	CPF-410	1200	2055	1200	1820
IBC-TN/18 BP	CPF-410	1200	2055	1200	1820
IBC-TN/18 AP	CPF-410	1200	2055	1200	1820

**f) Recipienti rotunzi TCA/P**

Tipul	Tipul capacului	Largimea(mm)	Lungimea(mm)	Inaltimea(mm)	Gradul de con	Volum
TC 05/L	CPF-200	340	340	1110	90	50
TC 1R/L	CPF-200	495	495	1125	90	115
TC 1/L	CPF-200	495	495	1455	90	180
TC 2/L	CPF-200	495	495	1605	90	200
TC 4/L	CPM-300	730	730	1255	90	370
TC 5/L	CPM-300	800	1200	1390	90	510
TR 5/L	CPM-300	750	750	1555	90	520
TC 6/L	CPF-410	895	1260	1495	90	640
TC 7/L	CPF-410	1000	1200	1520	90	700
TC 10/L	CPF-410	1120	1120	1875	90	1010
TC 11/L	CPF-410	1210	1210	1865	90	1080
TC 13/L	CPF-410	1120	1120	2160	90	1350
TC 14/L	CPF-410	1210	1210	2115	90	1400
TC 18/L	CPF-410	1210	1210	2350	90	1700
TC 17/L	CPF-410	1120	1120	2500	90	1740
TC 20/L	CPF-410	1175	1175	2630	90	2080
TC 21/L	CPF-410	1210	1210	2590	90	2100
TC 24/L	CPF-410	1175	1175	2970	90	2400

**g) Recipienti rotunzi TCO/P**

Tipul	Tipul capacului	Largimea(mm)	Lungimea(mm)	Inaltimea(mm)	Gradul de con	Volum
TB 11/L	Stülpedeckel	1210	1210	1750	90	1000
TB 14/L	Stülpedeckel	1210	1210	2000	90	1300
TB 18/L	Stülpedeckel	1210	1210	2235	90	1600
TB 21/L	Stülpedeckel	1210	1210	2475	90	2000

**h) Recipienti rotunzi TCS/P**

Tipul	Diametru lesire(mm)	Tipul capacului	Inaltimea(mm)	Gradul de con	Volum
TCC 07/L	380	CPF-200	1190	90	77
TCC 1R/L	460	CPF-200	1140	90	100
TCC 1/L	460	CPF-200	1380	90	138
TCC 2/L	595	CPF-200	1340	90	208
TCC 3/L	675	CPF-200	1500	90	320
TCC 6/L	1290	CPF-410	1490	90	650
TCC 9/L	1290	CPF-410	1890	90	980
TCC 10/L	1290	CPF-410	1890	90	1000
TCC 12/L	1290	CPF-410	2150	90	1280
TCC 13/L	1290	CPF-410	2150	90	1300
TCC 14/L	1290	CPF-410	2340	90	1480
TCC 15/L	1290	CPF-410	2340	90	1500
TCC 16/L	1290	CPF-410	2480	60	1500
TCC 19/L	1290	CPF-410	2835	90	1980
TCC 21/L	1290	CPF-410	2855	90	2000
TCC 22/L	1290	CPF-410	2970	60	2000
TCC 20/L	1290	CPF-410	2835	90	2000
TCC 27/L	1680	CPF-410	2760	60	2700
TCC 31/L	2115	CPF-570	2085	100	2900
TCC 30/L	1680	CPF-410	2960	60	2950
TCC 51/L	2115	CPF-570	2715	130	5200
TCC 53/L	1685	CPF-410	4110	60	5350
TCC 55/L	1685	CPF-410	4320	60	5600
TCC 60/L	2022	CPF-570	3060	130	6100
TCC 75/L	2100	CPF-570	4095	60	7500
TCC 88/L	2120	CPF-570	4040	130	8900
TCC 102/L	2116	CPF-570	4915	60	10000
TCC 101/L	2116	CPF-570	4685	90	10100
TCC 100/L	2120	CPF-570	4495	130	10200

Tipul	Diametru lesire(mm)	Tipul capacului	Inaltimea(mm)	Gradul de con	Volum
TCC 125/L	2140	CPF-570	5260	130	12640
TCC 130/L	2380	CPF-570	4920	80	13250
TCC 140/L	2140	CPF-570	5680	130	13900
TCC 160/L	2380	CPF-570	5695	80	16250
TCC 200/L	2380	CPF-570	6585	80	19600

**i) Recipienti rotunzi TSA/P**

Tipul	Diametru lesire(mm)	Inaltimea	Gradul de con	Volum
TCA 3/L	725	1395	90	300
TCA 5/L	1290	1335	90	500
TCA 8/L	1290	1815	60	800
TCA 9/L	1290	1720	90	900
TCA 11/L	1290	1990	60	1000
TCA 12/L	1290	1980	90	1200
TCA 16/L	1290	2345	60	1400
TCA 14/L	1290	2170	90	1400
TCA 19/L	1290	2665	90	1900
TCA 21/L	1290	2685	90	1900
TCA 22/L	1290	2835	60	1900
TCA 31/L	2115	1975	100	2350
TCA 25/L	1680	2560	60	2450
TCA 29/L	2115	2090	130	3000
TCA 32/L	1670	3080	60	3200
TCA 35/L	2115	2240	130	3500
TCA 41/L	2115	2440	130	4100
TCA 45/L	1685	3750	60	4500
TCA 46/L	2115	2590	130	4600
TCA 55/L	2115	2740	130	5000
TCA 50/L	1685	4050	60	5100
TCA 60/L	2115	3720	60	6000
TCA 65/L	2115	3810	60	6600
TCA 70/L	2120	3440	130	7100
TCA 75/L	2115	4160	60	7500
TCA 83/L	2120	3690	130	7900
TCA 80/L	2116	3940	90	8000
TCA 85/L	2380	3805	80	8500
TCA 87/L	2120	4040	60	8900
TCA 92/L	2116	4650	60	9000
TCA 91/L	2116	4320	90	9200
TCA 99/L	2140	4390	130	10000

<b>Tipul</b>	<b>Diametru lesire(mm)</b>	<b>Inaltimea</b>	<b>Gradul de con</b>	<b>Volum</b>
TCA 103/L	2380	4205	80	10000
TCA 120/L	2140	4940	130	11600
TCA 121/L	2380	4810	80	12350
TCA 135/L	2140	5340	130	12900
TCA 131/L	2380	5030	80	13000
TCA 151/L	2380	5585	80	15000
TCA 171/L	2380	6075	80	17000
TCA 181/L	2380	6475	80	18500